

LISTING OF CLAIMS

This listing of claims will replace all prior versions, and listings of claims in the application:

1. (ORIGINAL) Apparatus for supplying to a subscriber via a mobile telecommunications network changing information for each of a plurality of different sets of data, the apparatus comprising:

first receiving means for receiving said changing information;

second receiving means for receiving said changing information in synchronism with said first receiving means;

a data base for storing information received by the first receiving means relating to said different sets of data;

communication means for establishing communication with a subscriber via a mobile telecommunications network;

a subscriber profile store for storing information associating a subscriber with a group of said different sets of data;

means for supplying to a subscriber via the mobile telecommunications network information from the data base for the group of data sets associated in the subscriber profile store with that subscriber when communication with that subscriber is established; and

means for supplying from said second receiving means to the subscriber via the mobile telecommunications network changing information relating to the group of data sets associated with that subscriber once said information has been supplied to the subscriber from the data base.

2. (ORIGINAL) Apparatus for supplying to a subscriber via a mobile telecommunications network changing price information for a plurality of different sets of financial market data, the apparatus comprising:

- first receiving means for receiving said changing price information;
- second receiving means for receiving said changing price information in synchronism with said first receiving means;
- a data base for storing price information received by the first receiving means for said plurality of financial market contracts;
- communication means for establishing communication with a portable computer of a subscriber via a mobile telecommunications network;
- a subscriber profile store for storing information enabling identification of each of a group of sets of financial market data in which a subscriber is interested in receiving changing price information;
- means for supplying to a subscriber's portable computer via the mobile telecommunications network information from the database for the group of sets of financial market data associated with that subscriber in the subscriber profile store when communication with that subscriber's portable computer is established; and
- means for supplying to the subscriber's portable computer via the mobile telecommunications network changing price information for each of the sets of financial market data in the group associated with that subscriber as changing price information is received by said second receiving means once said information has been supplied to the subscriber from said database.

3. (ORIGINAL) Apparatus according to claim 2, wherein the database comprises a data store having a plurality of files each arranged to store changing price data for a specific set of financial data.

4. (ORIGINAL) Apparatus according to claim 3, wherein the first receiving means is arranged to identify the financial exchange and contracts to which received changing price information relates and to store that changing price information in the data file for that contract in the data store.

5. (ORIGINAL) Apparatus according to claim 4, wherein the first receiving means is arranged to replace existing price information in a data file with updated price information as the updated price information is received.

6. (PREVIOUSLY PRESENTED) Apparatus according to claim 1, wherein the subscriber profile store is adapted to associate a particular set of data with each subscriber interested in receiving changing information for that set of data.

7. (PREVIOUSLY PRESENTED) Apparatus according to claim 1, wherein the subscriber profile store is adapted to associate sets of data with different character strings.

8. (ORIGINAL) Apparatus according to claim 7, wherein the subscriber profile store is arranged to store the different character strings using a ternary tree structure.

9. (ORIGINAL) Apparatus according to claim 8, wherein each end node of the ternary tree representing a different one of said character strings is associated with the

subscriber or subscribers interested in changing information for the set or sets of data associated with that character string.

10. (PREVIOUSLY PRESENTED) Apparatus according to claim 1, wherein the subscriber profile store is arranged to associate a subscriber with said group of sets of data only while communication is established with the subscriber using the communication means.

11. (PREVIOUSLY PRESENTED) Apparatus according to claim 1, wherein the communication means is arranged to determine whether a subscriber is able to receive information and to store said information in a data structure if the subscriber is unable to receive information.

12. (ORIGINAL) Apparatus according to claim 11, wherein the communication means is arranged to send the information stored in the data structure as soon as it determines that the client is able to receive information.

13. (PREVIOUSLY PRESENTED) Apparatus according to claim 11, wherein the communication means is arranged to send the client new information rather than information previously stored in the data structure so that the subscriber receives the most recent information.

Claims 14-15 (CANCELED).

16. (CURRENTLY AMENDED) Apparatus according to claim 1, wherein the different sets of data comprise different contracts on any one or more of the following types

of financial exchanges: future commodity, option commodity ~~[[()]]future and/or option[[()]]~~,
index, stock, and foreign exchange.

17. (CURRENTLY AMENDED) Apparatus according to claim 1, wherein the
supplying means are also adapted to communicate changing news data to subscribers.

18. (PREVIOUSLY PRESENTED) Apparatus according to claim 1, wherein the first
and second receiving means are arranged to receive changing information from at least one
information provider.

19. (PREVIOUSLY PRESENTED) Apparatus according to claim 1, further
comprising satellite communication means for communicating with an information provider
for receiving changing information for supply to the first and second receiving means.

Claims 20-24 (CANCELED).

25. (CURRENTLY AMENDED) ~~Apparatus according to claim 20~~ A subscriber
apparatus for communicating with information supplying apparatus over a mobile
telecommunications network to enable the information supplying apparatus to supply to the
subscriber apparatus changing information for each of a plurality of different sets of data, the
subscriber apparatus comprising:

a user input interface for enabling a user to input subscriber profile data identifying a
group of said sets of data in which the subscriber is interested;

communicating means for communicating the subscriber profile data to the
information supplying apparatus;

receiving means for receiving from the information supplying apparatus via the mobile telecommunications network changing information for the group of sets of data identified by the subscriber profile data communicated to the information supplying apparatus; and

advising means for advising a user of the received changing information,

wherein the storing means is arranged to store received information while the advising means is advising a user of previously received information.

26. (CURRENTLY AMENDED) ~~Apparatus according to claim 20[[,]]~~ further A subscriber apparatus for communicating with information supplying apparatus over a mobile telecommunications network to enable the information supplying apparatus to supply to the subscriber apparatus changing information for each of a plurality of different sets of data, the subscriber apparatus comprising:

a user input interface for enabling a user to input subscriber profile data identifying a group of said sets of data in which the subscriber is interested;

communicating means for communicating the subscriber profile data to the information supplying apparatus;

receiving means for receiving from the information supplying apparatus via the mobile telecommunications network changing information for the group of sets of data identified by the subscriber profile data communicated to the information supplying apparatus;

advising means for advising a user of the received changing information; and

data storing means configured to store unchanging data for each of the different sets of data available from the information supplying apparatus.

27. (CURRENTLY AMENDED) ~~Apparatus according to claim 20~~ A subscriber apparatus for communicating with information supplying apparatus over a mobile telecommunications network to enable the information supplying apparatus to supply to the subscriber apparatus changing information for each of a plurality of different sets of data, the subscriber apparatus comprising:

a user input interface for enabling a user to input subscriber profile data identifying a group of said sets of data in which the subscriber is interested;

communicating means for communicating the subscriber profile data to the information supplying apparatus;

receiving means for receiving from the information supplying apparatus via the mobile telecommunications network changing information for the group of sets of data identified by the subscriber profile data communicated to the information supplying apparatus; and

advising means for advising a user of the received changing information,

wherein the data storing means is configured to store data identifying each different set of information and data identifying the different fields of changing information for each different set of information.

28. (CURRENTLY AMENDED) ~~Apparatus according to claim 20~~ A subscriber apparatus for communicating with information supplying apparatus over a mobile telecommunications network to enable the information supplying apparatus to supply to the subscriber apparatus changing information for each of a plurality of different sets of data, the subscriber apparatus comprising:

a user input interface for enabling a user to input subscriber profile data identifying a group of said sets of data in which the subscriber is interested;

communicating means for communicating the subscriber profile data to the information supplying apparatus;

receiving means for receiving from the information supplying apparatus via the mobile telecommunications network changing information for the group of sets of data identified by the subscriber profile data communicated to the information supplying apparatus; and

advising means for advising a user of the received changing information,

wherein the different sets of data comprise contracts on one or more financial exchanges.

29. (ORIGINAL) Apparatus according to claim 27, wherein the different sets of data comprise financial exchange contracts and the data identifying each contract comprises information relating to the contract name and exchange and the different fields comprise price data fields.

30 (CANCELED).

31. (PREVIOUSLY PRESENTED) Apparatus according to claim 1, wherein a group can consist of one or more sets of data.

32. (CURRENTLY AMENDED) A system comprising:

apparatus ~~in accordance with claim 1,~~ for supplying to a subscriber via a mobile telecommunications network changing information for each of a plurality of different sets of data, the apparatus for supplying comprising,

first receiving means for receiving said changing information,

second receiving means for receiving said changing information in synchronism with said first receiving means,

a data base for storing information received by the first receiving means relating to said different sets of data;

communication means for establishing communication with a subscriber via a mobile telecommunications network,

a subscriber profile store for storing information associating a subscriber with a group of said different sets of data,

means for supplying to a subscriber via the mobile telecommunications network information from the data base for the group of data sets associated in the subscriber profile store with that subscriber when communication with that subscriber is established, and

means for supplying from said second receiving means to the subscriber via the mobile telecommunications network changing information relating to the group of data sets associated with that subscriber once said information has been supplied to the subscriber; and

at least one subscriber apparatus device, the at least one subscriber device comprising,

a user input interface for enabling a user to input subscriber profile data identifying a group of said sets of data in which the subscriber is interested,

communicating means for communicating the subscriber profile data to the apparatus,

receiving means for receiving from the apparatus via the mobile telecommunications network changing information for the group of sets of data identified by the subscriber profile data communicated to the apparatus, and

advising means for advising a user of the received changing information.

33. (ORIGINAL) A method of supplying to subscribers via a mobile telecommunications network changing information for each of a plurality of different sets of data, the method comprising the steps of:

receiving changing information from an information provider;

storing received changing information in a database;

storing subscriber profiles indicating which of the different sets of data a subscriber is interested in;

establishing communication with a subscriber via the mobile telecommunications network;

supplying information stored in the database for the data sets in the subscriber's profile to the subscriber over the mobile telecommunications network when communication is established with the subscriber and thereafter supplying changing information for the data sets in the subscriber's profile directly to the subscriber over the mobile telecommunications network as that changing information is received.

34. (ORIGINAL) In an information supplying apparatus having a receiver for receiving changing information, a subscriber profile store for storing subscriber's profiles, a database for storing information and a communicator for communicating with subscribers over a mobile telecommunications network, a method of supplying to subscribers via the mobile telecommunications network changing information for each of a plurality of different sets of data, the method comprising the steps of:

receiving changing information from an information provider;

storing received changing information in a database;

storing subscriber profiles indicating which of the different sets of data a subscriber is interested in;

establishing communication with a subscriber via the mobile telecommunications network;

supplying information stored in the database for the data sets in the subscriber's profile to the subscriber over the mobile telecommunications network when communication is established with the subscriber and thereafter supplying changing information for the data sets in the subscriber's profile to the subscriber over the mobile telecommunications network as that changing information is received.

35. (CURRENTLY AMENDED) A method of supplying to subscribers via a mobile telecommunications network changing financial information for each of a plurality of different sets of financial market data, the method comprising the steps of:

receiving changing financial information from an information provider;

storing received changing financial information in a database;

storing subscriber profiles indicating which of the different sets of financial market data a subscriber is interested in;

establishing communication with a subscriber via the mobile telecommunications network; and

when communication is established with the subscriber, supplying to the subscriber over the mobile telecommunications network financial information stored in the database for the financial market data sets in the subscriber's profile ~~to the subscriber over the mobile telecommunications network when communication is established with the subscriber and~~ thereafter supplying changing financial information for the financial market data sets in the

subscriber's profile to the subscriber over the mobile telecommunications network as that changing financial information is received.

36. (ORIGINAL) A method according to claim 35, which comprises storing in the database as said changing information changing price data.

37. (CURRENTLY AMENDED) A method according to claim 36, which comprises identifying ~~the~~ a financial exchange and a contract to which received changing price data relates and storing that changing price data in a file related to ~~that~~ said contract.

38. (PREVIOUSLY PRESENTED) A method according to claim 33, wherein existing changing information in the database is replaced as new changing information is received.

39. (PREVIOUSLY PRESENTED) A method according to claim 33, wherein the subscriber profile storing step comprises associating a subscriber with codes relating to the or each set of data in which the subscriber is interested.

40. (PREVIOUSLY PRESENTED) A method according to claim 33, wherein the subscriber profile storing step comprises associating different character strings with sets of data and associating a subscriber with a character string relating to a set of data in which the subscriber is interested.

41. (ORIGINAL) A method according to claim 40, which comprises arranging the character strings in at least one ternary tree structure.

42. (PREVIOUSLY PRESENTED) A method according to claim 33, which also comprises communicating changing news data to subscribers.

43. (PREVIOUSLY PRESENTED) A method according to claim 33, wherein changing information is received by satellite communication from at least one information provider.

44-46 (CANCELED).

47. (CURRENTLY AMENDED) A method ~~according to claim 44, further of operating~~ a computer having mobile telecommunications facilities to enable communication with information supplying apparatus over a mobile telecommunications network to enable the information supplying apparatus to supply to a subscriber using the computer changing information for each of a plurality of different sets of data, the method comprising:

receiving via a user input device subscriber profile data identifying a group of said sets of data in which the subscriber is interested;

communicating the subscriber profile data to the information supplying apparatus;

receiving from the information supplying apparatus via the mobile telecommunications network changing information for the group of sets of data identified by the subscriber profile data communicated to the information supplying apparatus;

advising a user of the received changing information; and

storing received information received while a user is still being advised of previously received information.

48. (CURRENTLY AMENDED) A method ~~according to claim 44, further of~~
operating a computer having mobile telecommunications facilities to enable communication
with information supplying apparatus over a mobile telecommunications network to enable
the information supplying apparatus to supply to a subscriber using the computer changing
information for each of a plurality of different sets of data, the method comprising:

receiving via a user input device subscriber profile data identifying a group of said
sets of data in which the subscriber is interested;

communicating the subscriber profile data to the information supplying apparatus;

receiving from the information supplying apparatus via the mobile
telecommunications network changing information for the group of sets of data identified by
the subscriber profile data communicated to the information supplying apparatus;

advising a user of the received changing information; and

storing unchanging data for each of the different sets of data available from the
information supplying apparatus in data storing means of the computer.

49. (ORIGINAL) A method according to claim 48, wherein the stored data identifies
each different set of data and the different fields of changing information for each different
set of data.

50. (CURRENTLY AMENDED) A method ~~according to claim 44~~ of operating a
computer having mobile telecommunications facilities to enable communication with
information supplying apparatus over a mobile telecommunications network to enable the
information supplying apparatus to supply to a subscriber using the computer changing
information for each of a plurality of different sets of data, the method comprising:

receiving via a user input device subscriber profile data identifying a group of said sets of data in which the subscriber is interested;

communicating the subscriber profile data to the information supplying apparatus;

receiving from the information supplying apparatus via the mobile telecommunications network changing information for the group of sets of data identified by the subscriber profile data communicated to the information supplying apparatus; and
advising a user of the received changing information,

wherein the different sets of data comprise contracts on one or more financial exchanges.

51. (ORIGINAL) A method according to claim 49, wherein the different sets of data comprise financial exchange contracts and the data identifying each contract comprises information relating to the contract name and exchange and the different fields comprise price data fields.

52. (PREVIOUSLY PRESENTED) A signal carrying processor implementable instructions for programming a processor of apparatus having mobile telecommunications facilities to become configured as apparatus in accordance with a method in accordance with claim 33.

53. (PREVIOUSLY PRESENTED) A computer program product comprising processor implementable instructions for programming a processor of apparatus having mobile telecommunications facilities to become configured as apparatus in accordance with claim 1.

54. (ORIGINAL) A computer storage medium storing a computer program product in accordance with claim 53.

55. (PREVIOUSLY PRESENTED) Apparatus for supplying to a subscriber via a mobile telecommunications network changing information for each of a plurality of different sets of data, the apparatus comprising:

a first receiver operable to receive said changing information;

a second receiver operable to receive said changing information in synchronism with said first receiver;

a data base for storing information received by the first receiver relating to said different sets of data;

a communicator operable to establish communication with a subscriber via a mobile telecommunications network;

a subscriber profile store for storing information associating a subscriber with a group of said different sets of data;

a first supplier operable to supply to a subscriber via the mobile telecommunications network information from the data base for the group of data sets associated in the subscriber profile store with that subscriber when communication with that subscriber is established;
and

a second supplier operable to supply from said second receiver to the subscriber via the mobile telecommunications network changing information relating to the group of data sets associated with that subscriber once said information has been supplied to the subscriber from the data base.

56. (PREVIOUSLY PRESENTED) Apparatus according to claim 55, wherein the plurality of different sets of data comprises a plurality of different sets of financial market data and the changing information is changing price information.

57 (CANCELED).

58. (CURRENTLY AMENDED) Apparatus ~~according to claim 57~~ for supplying to a subscriber via a mobile telecommunications network continually changing price information for a plurality of different sets of financial market data, the apparatus comprising:
a determiner operable to determine which of the different sets of financial market data a subscriber is interested in; and
a supplier operable first to supply to the subscriber via the mobile telecommunications network information for the set or sets of financial market data in which the subscriber is interested and subsequently to supply to the subscriber via the mobile telecommunications network only updated or changed information for the set or sets of financial market data in which the subscriber is interested,
wherein the different sets of financial market data are different financial exchange contracts and the updated or changed information is updated or changed price information for the financial exchange contract or contracts in which the subscriber is interested.